

基业智能
Jiye Intelligent

EXPORT CATALOGUE

2026 / ENCLOSURE SERIES

POWER DISTRIBUTION / CONTROL / OEM & ODM

ENCLOSURES & SHEET-METAL SOLUTIONS

Standard enclosure families. Flexible project configurations.
Designed for commercial, industrial and outdoor applications.



FLOOR-STANDING CABINETS

OUTDOOR PROTECTION

36

LISTED MODEL CODES

8

PRODUCT SECTIONS

OEM / ODM

CUSTOM FABRICATION

JIYE Intelligent Electrical Technology (Guangdong) Co., Ltd.

TEL: +86 134 6956 2915

EMAIL: fengjianghong@jiyesmart.cn

WeChat: 13469562915 | WhatsApp: 13469562915

Product images are representative. Specifications and configuration are confirmed at order.

01 / ABOUT JIYE

A Manufacturing Partner Built for Export

Based in Nansha, Guangzhou, JIYE integrates R&D, design, production, sales and service for power-distribution sheet-metal equipment.



Product portfolio references

From standard boxes to project-specific cabinets

Our range combines wall-mounting enclosures, stainless steel and portable boxes, XL-21 power cabinets and GGD switchgear cabinets. CAD-assisted engineering, automated sheet-metal production and inspection resources support standard series and custom fabrication.

LOCATION

Nansha, Guangzhou

No. 35-6 Guangzhu Road, Lanhe Town, Nansha District, Guangdong, China.

PARTNERSHIP

OEM / ODM Welcome

Dimensions, colors, hardware, branding and export packing can be tailored to your specification.

02 / CAPABILITIES

Engineered Around Your Project

A connected workflow from drawing review to export-ready delivery.

01

Automated Manufacturing

Sheet-metal production supports consistent forming and repeatable assembly.

02

CAD-Aided Engineering

Drawing support and specification review for standard and custom projects.

03

OEM / ODM Configuration

Dimensions, RAL colors, doors, locks, cut-outs and branding options.

04

One-Stop Enclosure Range

Wall boxes, specialty enclosures, XL-21 and GGD cabinets.

05

Quality Inspection


Material, dimension, finish and sealing checks before shipment.

06

Export Delivery

Stock series and export-grade protective packing support order planning.

ENCLOSURE STRUCTURE



01 Door & lock
03 Folded shell

02 Perimeter seal
04 Mounting plate

CONFIGURABLE

Door, gasket, mounting plate and cable-entry layout can be specified to suit the project.


Conceptual exploded view. Exact structure varies by model.

03 / INDOOR WALL-MOUNTING

Indoor Wall-Mounting Enclosures

RAL 7035 gray. 21 standard sizes, single or double door, Grade A / Grade B options.

- Corner-formed shell for strength and a clean appearance.
- Gasket-sealed door, removable mounting plate and wall-fixing brackets.
- Bottom cable knockouts; custom cut-outs available.
- Sheet-thickness grade options for cost optimization.



Metal wall-mount enclosure reference

STANDARD SIZES

H x W x D (mm) / Custom sizes on request

MODEL	H x W x D (mm)	DOOR
JY-WM-2520/15	250 x 200 x 150	Single
JY-WM-3020/15	300 x 200 x 150	Single
JY-WM-3025/15	300 x 250 x 150	Single
JY-WM-4030/15	400 x 300 x 150	Single
JY-WM-4030/20	400 x 300 x 200	Single
JY-WM-5040/20	500 x 400 x 200	Single
JY-WM-5040/25	500 x 400 x 250	Single
JY-WM-6040/20	600 x 400 x 200	Single
JY-WM-6050/20	600 x 500 x 200	Single
JY-WM-6050/25	600 x 500 x 250	Single
JY-WM-7050/20	700 x 500 x 200	Single
JY-WM-7050/25	700 x 500 x 250	Single
JY-WM-8060/20-S	800 x 600 x 200	Single
JY-WM-8060/25-S	800 x 600 x 250	Single
JY-WM-10080/20-S	1000 x 800 x 200	Single
JY-WM-10080/25-S	1000 x 800 x 250	Single
JY-WM-8060/20-D	800 x 600 x 200	Double
JY-WM-8060/25-D	800 x 600 x 250	Double
JY-WM-80100/20-D	800 x 1000 x 200	Double
JY-WM-80100/25-D	800 x 1000 x 250	Double
JY-WM-120100/25-D	1200 x 1000 x 250	Double

Specify Grade A / B when ordering. IEC 62208 design reference; certificates on request.

MATERIAL	MOUNTING PLATE	PROTECTION
Cold-rolled steel / gray powder coat	Removable / galvanized, red coated	Indoor IP30 / IP40 typical

04 / POWER DISTRIBUTION

XL-21 Power Distribution Cabinets

Floor-standing cabinets for power and control assemblies. Indoor, knife-switch and outdoor versions.

- Welded frame with removable mounting plate.
- Lockable door, base ventilation and top nameplate area.
- Knife-switch versions and custom internal layouts available.
- Outdoor rain-hood configurations in yellow or gray.



Indoor / outdoor reference configurations

INDOOR GRAY / JY-PC

MODEL	H x W x D (mm)
JY-PC-10060/40	1000 x 600 x 400
JY-PC-12060/40	1200 x 600 x 400
JY-PC-14060/40	1400 x 600 x 400
JY-PC-16060/40	1600 x 600 x 400
JY-PC-17070/40	1700 x 700 x 400
JY-PC-18080/40	1800 x 800 x 400
JY-PC-180100/50	1800 x 1000 x 500

KNIFE SWITCH / JY-PC-K

MODEL	H x W x D (mm)
JY-PC-K16060/40	1600 x 600 x 400
JY-PC-K17070/40	1700 x 700 x 400
JY-PC-K18080/40	1800 x 800 x 400

OUTDOOR / JY-PC-O

MODEL	H x W x D (mm)
JY-PC-O12060/40	1200 x 600 x 400
JY-PC-O14060/40	1400 x 600 x 400
JY-PC-O16060/40	1600 x 600 x 400
JY-PC-O17070/40	1700 x 700 x 400
JY-PC-O18080/40	1800 x 800 x 400

CONFIGURE TO YOUR DRAWING

Five listed outdoor model codes are available in yellow or gray. Confirm enclosure dimensions and internal layout with the engineering team.

05 / MANUFACTURING & QUALITY

From Drawing to Delivery

Sheet-metal production, inspection and protective packing in one coordinated workflow.

01 Design & Engineering

CAD drawings and customer specification review.



02 Laser Cutting

Precision cutting of sheet-metal parts.

03 CNC Bending

Corner forming to the required dimensions.



04 Welding & Assembly

Frame, hinges and mounting plate assembly.

05 Pretreatment

Degreasing and phosphate preparation.



06 Powder Coating

Specified RAL finish and even coverage.

07 Quality Inspection

Dimensions, coating and sealing checks.



08 Packing & Shipment

Protective wrapping and export-grade packing.

QUALITY CHECKPOINTS

MATERIAL

Incoming steel batch inspection

SURFACE

Coating adhesion and thickness

DIMENSIONS

Checks after bending and assembly

SEALING

Gasket checks on weatherproof series

06 / CUSTOMIZATION & CONTACT

Made to Your Specification

Send your drawing, dimensions or specification sheet to our export team.

CUSTOMIZATION OPTIONS

SIZE

Custom H x W x D

FINISH

RAL color and surface finish

HARDWARE

Door, lock and hinge choices

PROTECTION

Requested IP protection rating

CABLE ENTRY

Cut-outs and knockouts

BRANDING

Silk-screen logos and nameplates

SHIPPING

Export-grade protective packaging

HOW TO ORDER

01 Inquiry

Send dimensions, drawings and quantities.

02 Engineering

Confirm configuration and CAD details.

03 Quotation

Agree pricing, lead time and packing.

04 Production & Shipment

Inspection, packing and shipment.



JIYE
INTELLIGENT

JIYE Intelligent Electrical Technology
(Guangdong) Co., Ltd.

TEL

+86 134 6956 2915

WECHAT

13469562915

WHATSAPP

13469562915

EMAIL

fengjianghong@jiyesmart.cn

No. 35-6 Guangzhu Road, Lanhe Town, Nansha
District, Guangzhou, Guangdong, China
(Dingsheng Industrial Park)



SCAN TO
CHAT ON
WHATSAPP